BOWRAL BRICKS

Range: Bowral Highlands Colour: SKU: 281070019760000136100



Technical Data

Width (mm)	110
Height (mm)	76
Depth (mm)	230
Dimensional Category	DW1
Core Volume (%)	Solid
Units per Square Metre	48.5
Pack Size	384
Characteristic Unconfined Compressive Strength (f 'uc) MPa	>8
Maximum Cold Water Absorption (%)	15

Initial Rate of Absorption (IRA) (kg/m2 min)	1 to 8
Coefficient of Expansion e'Factor (mm/m)	1.2
Liability to Efflorescence	Slight
Lime Pitting Liability	Slight
Place of Manufacture	New South Wales
Place of Manufacture Product Warranty	New South Wales 100 Years

This Data represents average results from commercial production lots. If specific test results are required, sample should be taken from current production lots. AUSTRALIAN STANDARD TEST METHODS AS/NSZ 4456 ARE USED AS APPLICABLE. January 2025 www.brickworks.co.nz



A BRAND OF